



EUROPLEX® PPSU grey 99492 H Aircraft Interior Application

Product

EUROPLEX® PPSU 99492 H is a grey colored sheet material based on polyphenylsulfone (PPSU). The sheet is manufactured with a matte texture (hair cell) on one side.

Properties

EUROPLEX® PPSU grey 99492 H shows excellent flame retardant properties and meets the fire safety standards for aircraft interior applications.

- FAR 25.853 (a) (1) (i) / AITM 2.0002; 60 second vertical burn
- FAR 25.853 (a) (1) (ii) / AITM 2.0002; 12 second vertical burn
- FAR 25.853 (c) / AITM 2.0007; Smoke density
- AITM 3.0005; Toxicity
- FAR 25.853 (c) / AITM 2.0006; OSU Heat release (55/55)

EUROPLEX® PPSU 99492 H offers high chemical resistance as well as good mechanical properties.

Applications

It is ideally suitable for vacuum deep drawing and can be used to thermoform large parts for aircraft interior application.

Processing

Technical Manual EUROPLEX® Thermoforming and Fabrication Guide

Product range

EUROPLEX® PPSU grey 99492 H is available in the following dimensions:

Dimensions	Thicknesses
1400 mm x 2675 mm	1,0 mm to 3,0 mm

Technical data

Property	Unit	Typical Value
Density ISO 1183	g/cm ³	1,4
Modulus of elasticity ISO 527-2	MPa	2300
Yield stress ISO 527-2	MPa	65
Tensile strain at break ISO 527-2	%	60
Vicat ISO 306	°C	220
Max. service temperature	°C	195



Röhm GmbH
Acrylic Products

Riedbahnstraße 70
64331 Weiterstadt
Germany

www.plexiglas.de
www.roehm.com

® = registered trademark

PLEXIGLAS and EUROPLEX are registered trademarks of Röhm GmbH, Darmstadt, Germany.
Certified to DIN EN ISO 9001 (Quality) and DIN EN ISO 14001 (Environment)

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments.

The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.